


CUSTOMER INFORMATION

Company Name: _____
 Major Product Lines: _____
 Contact Person: _____
 Company Address: _____
 Country: _____
 Company Website: _____
 Tel: _____ Fax: _____
 Email: _____

MODULE DIMENSIONS (mm)



- A. Width of Glass: _____ mm
- B. Large Glass Height: _____ mm
- C. Small Glass Height: _____ mm
- D. Viewing Area: _____ mm
- E. Viewing Area: _____ mm
- F. First Contact: _____ mm
- G. Glass Thickness: _____ mm
- P. Contact Pitch: _____ mm
- End-seal Location: Left Right

LCD CONFIGURATION



1



2




3



4



5



6



PARAMETERS

Viewing Angle: _____ LC Type: _____ Display mode: _____ Polarizer: _____

TEMPERATURE

Operating Temperature range: _____ °C To _____ °C
Storage Temperature range: _____ °C To _____ °C

DRIVING METHOD

Driver IC Used: _____ Drive Voltage: _____ Frequency: _____
 Static Drive Multiplex Drive: 1/ _____ duty 1/ _____ bias

CONNECTION METHOD

LCD Connect Method: _____ Pin Quantity: _____ Pin Length: _____ mm

PROJECT SCHEDULE

Expected quantity of samples: _____ PCS
Expected quantity of mass production: _____ PCS / ORDER
Special requirement for the lead time: _____

REMARKS
