




**AGS-TECH, Inc., Ph: 505-550-6501 & 505-565-5102, Fx: 505-814-5778,
Em: sales@agstech.net, Web: <http://www.agstech.net>**

B Series Photovoltaic Shingles Metal Seam Roof - Solution





B Series product comes in two types: solar panels that are adhesively bonded to the substrate, and those fixed with clamps. The adhesively bonded tile covers an area of 0.4 square meters, with a power output of 75 watts. The clamped tile employs dedicated clamps and can use standard photovoltaic panels. The B Series installation and related accessories use the relevant processes for vertical lock-edge metal tiles. The photovoltaic tile is installed facing the sun, with ordinary tiles easily replaced.

The B Series building-integrated photovoltaic tile is recommended for installation on the roofs of residential and commercial buildings that have a simple, minimalist style and a slope greater than 5 degrees, such as villas, residences, office buildings, and hotels. It is easy to install, waterproof, wind-resistant, safe, efficient, elegant, and cost-effective.

Specifications

Output Power: 75W Tile
Dimension: 1400mm X 420mm
Coverage Dimension: 1260mm
X 380mm Photovoltaic Material:
Monocrystalline Silicon



Our Other Services in Power & Energy Products:


Incomplete Documentation
No Problem !



We prepare them for you prior to fabricating your machines & equipment



OEM/ODM



Labeling

WAREHOUSING



Customs Clearance



Global Logistics



CONSOLIDATION



Final Packaging



Documents Preparations



- **WATER PROOF TESTED**
- **FIRE PROOF TESTED**
- **HAIL RESISTANCE TESTED**
- **VISUALLY APPEALING**
- **ENVIRONMENTALLY FRIENDLY**
- **GENERATE YOUR OWN ELECTRICITY**

Contact us for more information on how we can help you with your electrical power equipment design & development, transfer to production, manufacturing, product redesign needs. Through our network of authorized design and channel partnerships we are your one-stop source for electrical power & energy components and systems.

AGS-TECH, Inc., Ph: 505-550-6501 & 505-565-5102

Fx: 505-814-5778, Em: sales@agstech.net

Web: <http://www.agstech.net>

