

Tel: 505-550-6501

Fax: 505-814-5778

Email: sales@agstech.net Web: www.agstech.net

PRIVATE LABEL OPTION OEM OPTION



OUR COMPANY

Voted Best Tool Manufacturer in China!

Our global network of joint-venture factories have manufactured over 100 million hand & power tools using the latest manufacturing and assembly processes lead by first class chain-supply management.

8 Factories

22 Years in Business

150 Tool Innovations Yearly

350 Workers & Staff

000+ Hand & Power Tools Available



We Manufacture

Your Tool Brand




Quality Control

For any company to succeed in today's competitive market, they need a strategy that differentiates them from the competition. Quality should not just be an option but rather it's imperative for success. Our practices make sure your standards are met together with international regulatory standards in Quality Assurance and Quality Control.



Hand & Power Tool Manufacturing

We understand that not all businesses are the same, so our team of experienced product manufacturers & engineers can tailor tools to match your brand perfectly. Whether you want us to manufacture something new or improve upon an existing tool, we're here for you.





Packaging & Merchandising

Retail is competitive. Utilizing eye-catching packaging and a consistent visual brand identity across all packaging is more important than ever. That's why our dedicated designers and packaging team not only develops your Visual Identity (VI), but brings it to life in our dedicated packaging facility.



Inventory Management & Distribution

With forecast planning, we hold stock and manage your inventory levels. Our team has the ability to review sales reports for forecasting & adjust stock levels, as well as store and consolidate mixed containers of your private label tool program.



Marketing Solutions

Our fully-equipped team of graphic designers, photographers, videographers, on-site studio and strategic marketing experts can provide everything you need to get your product off to the right start.

CATALOGUE

CORDLESS TOOLS

ANGLE GRINDER **SCREWDRIVER** DRILL P6 **IMPACT WRENCH MULTI-FUNCTION TOOL ROTARY HAMMER** NAILER **BLOWER BRUSH CUTTER & BLOWER** P20 **HEDGE TRIMMER** SAWS/OTHERS P24 PETROL CHAIN SAW **CORDLESS CHAIN SAW** PETROL BLOWER

WATER PUMP & CORDLESS SPRAYER

	CORDED TOOLS
P34	ELECTRIC DRILL
P36	ELECTRIC DRILL SET
P38	IMPACT DRILL
P45	ROTARY HAMMER
P49	DEMOLITION BREAKER
P51	IMPACT WRENCH
P53	ANGLE GRINDER
P59	POLISHER
P61	CIRCULAR SAW
P65	MARBLE CUTTER
P66	PLANER
P69	MITRE SAW
P70	CUT OFF SAW
P71	JIG SAW
P74	TRIMMER
P75	RECIPROCATING SAW, TRIMMER, SHEARS
P76	ELECTRIC CHAIN SAW
P77	ELECTRIC BRUSH CUTTER
P78	HEDGE TRIMMER
P79	ELECTRIC SPRAY GUN
P80	ELECTRIC SHREDDER
P81	SANDER

P84

P88

P89

MIXER

HEAT GUN

ELECTRIC BLOWER

GLUE GUN, ELECTRIC IRON

No: PTAG1001

Cordless Angle Grinder 3000mAh

No: PTAG1002

Cordless Angle Grinder 3000mAh





Specifications:

Voltage	21V
No Load Speed	0-7500 r/min
Battery	2PCS 3.0A
Disc Diameter	100mm
Spindle Thread	M10/M14
Certificate	CE
	Brushless Motor



No: PTAG1003 Cordless Angle Grinder 3000mAh



Specifications:

Voltage	18V
No Load Speed	4500/5500/7500 r/min
Battery	3.0A
Disc Diameter	100/115/125mm
Spindle Thread	M10/M14
Certificate	CE



No: PTAG1004 Cordless Angle Grinder 3000mAh



Specifications:

Voltage	18V
No Load Speed	7500 r/min
Battery	3.0A
Disc Diameter	115mm
Spindle Thread	M10/M14
Certificate	CE/GS/EMC



Voltage	20V
No Load Speed	2500 -10000 r/min
Battery	3.0A
Disc Diameter	115/125mm
Spindle Thread	M14
Certificate	CE/GS/ROHS





Item No.	Rated Voltage	Battery	No Load Speed	Output Torque(Max)	Charge Time	Certificate	Qty./Ctn. (pcs)	G.W./N.W. (kg)	Packing Size(cm)	Qty./20" Container(pcs)
PTCS1001	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	_ 20	15/13	40x36x30	12740
PTCS1002	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	_ 20	15/13	36x32x38	12580
PTCS1003	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	_ 20	15/13	48x38x29	10400
PTCS1004	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	_ 10	19/17	36x23x50	6650
PTCS1005	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	_ 20	15/13	52x30x27	13060
PTCS1006	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	_ 10	8/6	40x33x23	9060
PTCS1007	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	_ 12	9/7	50x39.5x18	9288
PTCS1008	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	_ 12	14/12	55x46x32	4080
PTCS1009	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	_ 10	12/10	59x43x20	5420
PTCS1010	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	_ 20	20/19	39x39x28	12900
PTCS1011	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	_ 10	13/11	34x34x40	5950
PTCS1012	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	_ 10	14/12	34x34x40	5950
PTCS1013	3.6V	1300mAh	180RPM	3.7Nm	3-5H	GS/CE/Rohs/UL	_ 10	15/13	34x34x40	5950

Lithium Cordless Screwdriver 3.6V Lithium





Charging base doubles as accessories holder





Item No.	Rated Voltage	Battery	No Load Speed	Output Torque(Max)	Charge Time	Certificate	Qty./Ctn. (pcs)	G.W./N.W. (kg)	Packing Size(cm)	Qty./20" Container(pcs)
PTCS2001	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	20	16/14	50x38x27	10700
PTCS2002	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/Ul	_ 10	14/12	59x43x20	5420



Item No.	Rated Voltage	Battery	No Load Speed	Output Torque(Max)	Charge Time	Certificate	Qty./Ctn. (pcs)	G.W./N.W. (kg)	Packing Size(cm) C	Qty./20" ontainer(pcs)
PTCS3001	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	. 20	14/12	36x32x38	12580
PTCS3002	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	. 20	14/12	48x38x29	10400
PTCS3003	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	. 10	19/17	36x23x50	6650
PTCS3004	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	. 20	14/12	52x30x27	13060
PTCS3005	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	. 10	7.5/5.5	40x33x23	9060
PTCS3006	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	. 10	11.5/9.5	59x43x20	5420
PTCS3007	3.6V	1000mAh	180RPM	3.2Nm	3-5H	GS/CE/Rohs/UL	. 10	11.5/9.5	38x20x28	12920

No: PTCS4001

Cordless Screwdriver 90N.m



Specifications:

Voltage	12V
No Load Speed	0-2000 r/min
Impact Times	0-1500IPM
Battery	2PCS 1.5A
Square Drive	6.35mm
Max Torque	90N.m
Certificate	CE
	T Carad

Two Speed









No: PTCS4003 Cordless Screwdriver 160N.m



Specifications:

Voltage	21V
No Load Speed	0-2400 r/min
Impact Times	0-2800IPM
Battery	2PCS 3.0A
Square Drive	6.35mm
Max Torque	160N.m
Certificate	CE



No: PTCS4002

Cordless Screwdriver 120N.m



Specifications:

Voltage	12V			
No Load Speed	0-2700 r/min			
Square Drive	6.35mm			
Max Torque	120N.m			
Impact Frequency	0-3800bpm			
Certificate	CE/GS/ROHS			









No: PTCS4004

Cordless Screwdriver 200N.m



Voltage	21V
No Load Speed	0-1200/2400 r/min
Impact Times	0-1400/2800IPM
Battery	2PCS 3.0A
Square Drive	6.35mm
Max Torque	200N.m
Certificate	CE
	Brushless Motor











No: PTCD1001 Cordless Drill 1500mAh



Specifications:

Voltage	12V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	30N.m
Certificate	CE
	Two Speed



No: PTCD1003 Cordless Drill 1500mAh



Specifications:

Voltage	12V
No Load Speed	0-350/0-1350 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	22N.m
Certificate	CE
	Two Speed



No: PTCD1002 Cordless Drill 1500mAh



Specifications:

Voltage	12V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	30N.m
Certificate	CE
	Two Speed



No: PTCD1004 Cordless Drill 1500mAh



Voltage	16V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	35N.m
Certificate	CE
	Two Speed



Voltage	21V
No Load Speed	0-400/0-1400 r/mir
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	35N.m
Certificate	CE
	Two Speed











No: PTCD1007 Cordless Drill 1500mAh



Specifications:

Voltage	21V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	40N.m
Certificate	CE
	Two Speed











No: PTCD1006

Cordless Drill 1500mAh



Specifications:

Voltage	16V
No Load Speed	0-400/0-1400 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	35N.m
Certificate	CE
	Two Speed









No: PTCD1008

Cordless Drill 1500mAh



Voltage	16V
No Load Speed	0-350/0-1350 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	26N.m
Certificate	CE
	Two Speed









No: PTCD1009 Cordless Drill 1500mAh



Specifications:

Voltage	21V
No Load Speed	0-350/0-1350 r/min
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	28N.m
Certificate	CE
	Two Speed



No: PTCD1011 Cordless Drill 1300mAh



Specifications:

Voltage	10.8V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	25N.m
Certificate	CE/BMC
	Two Speed



No: PTCD1010 Cordless Drill 1300mAh



Specifications:

Voltage	10.8V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	25N.m
Certificate	CE/BMC
	Two Speed



No: PTCD1012 Cordless Drill 1300mAh



Voltage	10.8V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	25N.m
Certificate	CE/BMC
	Two Speed





Voltage	10.8V
No Load Speed	0-350/0-1350 r/mi
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	25N.m
Certificate	CE
	Two Speed





No: PTCD1015









Specifications:

Voltage	18V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	29N.m
Certificate	CE/BMC
	Two Speed





Specifications:

Voltage	18V
No Load Speed	0-350/0-1350 r/min
Torque Settings	18+1
Holding Ability	1-10mm
Max Torque	29N.m
Certificate	CE/BMC
	Two Speed









No: PTCD1016

Cordless Drill 2000mAh



Voltage	18V
No Load Speed	0-450/0-1600 r/min
Torque Settings	22+1
Holding Ability	1-13mm
Max Torque	55N.m
Certificate	CE
	Two Speed









No: PTCD1017 Cordless Drill 2000mAh



Specifications:

Voltage	20V
No Load Speed	0-450/0-1500 r/min
Torque Settings	20+1+1+1
Hex. Collet	6.35mm (1/4")
Max Torque	25/50N.m
Capacities	Steel: 10mm Wood: 21mm Wood Screw: 5.1×63mm Machine Screw: M6
Certificate	CE




No: PTCD1019 Cordless Drill 1500mAh



Specifications:

Battery	1500mAh
No Load Speed	0-350/0-1250 r/min
Torque Settings	21+1
Holding Ability	1-10mm
Max Torque	30N.m
Certificate	CE
	Two Speed





Specifications:

Voltage	20V
No Load Speed	0-450/0-1500 r/min
Torque Settings	18+1
Chuck Size	10mm
Max Torque	18/27N.m
Capacities	Steel: 10mm Wood: 25mm Wood Screw:5.1×63mm Machine Screw: M6
Certificate	CE



No: PTCD1020 Cordless Drill 1500mAh



Battery	1500mAh
No Load Speed	0-350/0-1250 r/min
Torque Settings	21+1
Holding Ability	1-10mm
Max Torque	30N.m
Certificate	CE
	Two Speed





Voltage 18V No Load Speed 0-400/0-1500 r/min **Torque Settings** 21+1 **Holding Ability** 1-10mm 28N.m Max Torque Certificate CE Two Speed







No: PTCD1023



Cordless Drill 2000mAh



Specifications:

Voltage	20V
No Load Speed	0-450/0-1500 r/min
Impact Rate	0-5500/0-21000 r/min
Torque Settings	20+1+1+1
Max Torque	25/50N.m
Capacities	Steel: 13mm Wood: 38mm Masonry: 13mm
Cartificata	CE













Specifications:

Battery	1500mAh
No Load Speed	0-400/0-1500 r/min
Torque Settings	21+1
Holding Ability	1-10mm
Max Torque	32N.m
Certificate	CE
	Two Speed







No: PTCD1024

Cordless Drill 2000mAh



Masonry: 13mm	Voltag	je	12V
Torque Settings 20+1+1+1 Max Torque 35/45N.m Capacities Steel: 13mm Wood: 38m Masonry: 13mm	No Lo	ad Speed	0-430/0-1500 r/min
Max Torque 35/45N.m Capacities Steel: 13mm Wood: 38m Masonry: 13mm	Impac	t Rate	0-5500/0-21000 r/min
Capacities Steel: 13mm Wood: 38m Masonry: 13mm	Torqu	e Settings	20+1+1+1
Masonry: 13mm	Max T	orque	35/45N.m
Certificate CF	Capac	cities	Steel: 13mm Wood: 38mm Masonry: 13mm
Ocitinoato	Certif	cate	CE









No: PTCD1025 Cordless Drill 1500mAh



Specifications:

Voltage	21V
No Load Speed	0-350/0-1350 r/mir
Battery	2PCS 1.5A
Holding Ability	1-10mm
Max Torque	30N.m
Certificate	CE
	Two Speed



No: PTIW1002 Cordless Impact Wrench 3000mAh



Specifications:

Voltage	21V
No Load Speed	0-1200/2400 r/mir
Impact Times	0-1400/2800 IPM
Battery	2PCS 3.0A
Square Drive	12.7mm(1/2")
Max Torque	250N.m
Certificate	CE
	Brushless Motor



No: PTIW1001

Cordless Impact Wrench 3000mAh



Specifications:

Voltage	21V
No Load Speed	0-2400 r/min
Impact Times	0-2800 IPM
Battery	2PCS 3.0A
Square Drive	12.7mm(1/2")
Max Torque	250N.m
Certificate	CE



No: PTIW1003

Cordless Impact Wrench 2000mAh



Voltage	20V
No Load Speed	0-1700/0-2100/0-2500 r/min
Impact Times	0-2700 IPM
Battery	2.0A
Square Drive	12.7mm(1/2")
Max Torque	150/180/280N.m
Certificate	CE/BMC













Voltage	20V
No Load Speed	0-1700/0-2100/0-2500 r/min
Impact Times	0-2700 IPM
Battery	4.0A
Square Drive	12.7mm(1/2")
Max Torque	350N.m
Certificate	CE/GS/EMC



20V 🚱 🔯 🆺 🖽


Cordless Impact Wrench 4000mAh



Specifications:

20V 🚱 🔯 👢 🖽

Voltage	20V
No Load Speed	0-660/0-1250/0-1550 r/min
Impact Times	0-1050/0-1500/0-2100 IPM
Battery	2PCS 3.0A
Square Drive	12.7mm(1/2") / 19mm(3/4")
Max Torque	130/400/1356N.m
Capacities	M10-M33
Certificate	CE/BMC



Cordless Impact Wrench 2000mAh



Specifications:

Voltage	20V
No Load Speed	0-2400 r/min
Impact Times	0-2700 IPM
Battery	2.0A
Hex. Collet	6.35mm(1/4")
Max Torque	90/150N.m
Certificate	CE/BMC









No: PTIW1007

Cordless Impact Wrench



Voltage	20V
No Load Speed	0-2300 r/min
Impact Times	0-3600 IPM
Max Torque	500N.m
Certificate	CE/GS/ROHS









Screwdrivers Maximum torque: 180N.m Car Wash Flow: 2.4L/min Rated pressure: 1.8/3.0Mpa Chain Saw 4inches Chain Speed: 7m/s **Dual Wrench** Chuck size: 1/4 (6.35mm)+1/2 (12.7mm) Maximum torque: 200N.m Polisher Bottom plate size: 94x135mm Reciprocating Saw Cutting stroke:15mm Cutting stroke:12.7mm Impact Electric Drill Max torque:35N.m Multi Tool Head 1 HCS Quick Saw blade, 1 scraper, 1 triangle grinding base, 4 pcs sandpapers (60/80/120/180) Rotary Hammer Shock frequency: 0-5500bpm 125mm angle grinde Impact energy: 1.7J Inner diameter of cutting blade: 22mm Chuck method: SDS Air Pump Pressure upper limit: 0-6.9BAR (0-7kg/cm²) Power Bank Converter 3-speed LED lighting 2-speed flash warning **Brushless Machine** USB: 1A, 2A Air Volume: 2.8 m³/min Hedge trimmer + lawnmower blade Pruning length: 160mm Direct Charger Charging Time:3~4 hours 4000 mAH battery pack x2 Specifications: Voltage 211 Load Protection Current 35A (1.3S) No Load Speed 13000/20000/24000 r/min Certificate CE/GS

Tool Box

Size: 365*280*305mm x2

No: PTRH1001

Cordless Rotary Hammer 3000mAh

No: PTRH1002

Cordless Rotary Hammer 4000mAh





Specifications:

Voltage	21V
No Load Speed	0-950 r/min
Impact Times	0-4700 IPM
Battery	2PCS 3.0A
Drill Ability	26mm
Impact Engery	2.8J
Certificate	CE
	Davishless Med

Brushless Motor



Specifications:

Voltage	20V	
No Load Speed	0-1200 r/min	
Impact Times	0-5300 IPM	
Battery	4.0A	
Drill Ability	Concrete: 26mm Wood: 30mm	Steel: 13mm
Certificate	CE/BMC	











No: PTRH1003

Cordless Rotary Hammer




Specifications:

Voltage	12V	
No Load Speed	0-1100 r/min	
Impact Times	0-6000 IPM	
Drill Ability	Concrete: 10mm Wood: 20mm	Steel: 8mm
Certificate	CE/GS	



No: PTRH1004 Auger 4000mAh



Voltage	18V
Auger Diameter Max	150mm
Running Times	up to 30 Holes @ 400mm depth
Battery	4.0A
Auger Bits	80/100/150mm
Certificate	CE/GS/EMC
	Brushless Motor



Cordless Nailer

No: PTCN1001 Cordless Nailer 2000mAh



Specifications:

Voltage	21V
Shot Per Minute	60 Nails Max
Battery	2PCS 2.0A
Max Magazine	100 Nails
Nail Shape	F50 / K440
Certificate	CE



No: PTCN1003 Cordless Nailer 1500mAh



Specifications:

Voltage	4V
Shot Per Minute	30 Nails Max
Battery	1.5A
Max Magazine	50pcs ARROW T50 staple 100pcs Bosch 53# staple 50pcs T-brad
Nail Shape	T50 / 53# / T-brad
Certificate	CE



No: PTCN1002



Specifications:

	Voltage	21V
	Shot Per Minute	No less than 100 times
	Max Magazine	100 Nails
	Nail Shape	F50
	Certificate	CE



No: PTCN1004 **Cordless Nailer**



Voltage	20V
Shot Per Minute	30 Nails Max
Battery	1.5A
Max Magazine	50 Nails
Nail Shape	Nylon 775#
Certificate	CE







Voltage	3.6V
Shot Per Minute	30 Nails Max
Battery	1.5A
Max Magazine	100 Nails
Nail Shape	TYPE C Width: 10mm
Certificate	CE



No: PTCB1002

Cordless Blower 1500mAh



Specifications:

Voltage	16V
No Load Speed	0-4000/12000/18000r/min
Battery	2PCS 1.5A
Max Air Speed	200Kmh
Max Air Volume	80CFM
Certificate	CE
	Three Speed



No: PTCB1003 Cordless Blower



Specifications:

Voltage	21V
No Load Speed	0-4000/12000/18000r/min
Battery	2PCS 1.5A
Max Air Speed	220Kmh
Max Air Volume	90CFM
Certificate	CE
	Three Speed



Voltage	20V
No Load Speed	110000r/min
Max Air Volume	2.8m³/min
Certificate	CE








20m³/min

40mins

CE



Cutting Capacity

Certificate

25cm

CE

Air Volume

Certificate

Working Time

No: PTBC1001 **Brush Cutter 45CC/52CC**

Specifications:

	Displacement	45CC/52CC
	Engine	1E43F/1E45F
	Rated Power	1.7kw/8000rpm 2.0kw/9000rpm
	Idle Speed	3000rpm
	Fuel tank capacity	1200ml
	Certificate	CE
	Gasoline/2-cycle oil n	nixing ratio 25:1

No: PTBC1002

Brush Cutter 45CC/52CC



Specifications:

Displacement	45CC/52CC
Engine	1E43F/1E45F
Rated Power	1.7kw/8000rpm 2.0kw/9000rpm
Idle Speed	3000rpm
Fuel tank capacity	1200ml
Certificate	CE

Gasoline/2-cycle oil mixing ratio 25:1

No: PTBC1003

4 In 1 Multi-tool 45CC/52CC



Displacement	45CC/52CC
Engine	1E43F/1E45F
Rated Power	1.7kw/8000rpm 2.0kw/9000rpm
Idle Speed	3000rpm
Fuel tank capacity	1200ml
Certificate	CE
Gasoline/2-cycle oil	mixing ratio 25:1









Displacement	26CC
Engine	1E26F
Rated Power	0.85kw/7500rpm
Idle Speed	2800rpm
Fuel tank capacity	800ml
Certificate	CE
Gasoline/2_cycle oil r	niving ratio 25:1



No: PTHT1002 Hedge Trimmer 25.4CC



Specifications:

	Displacement	25.4CC
	Engine	Air-cooled, 2-stroke, single cylinder
	Rated Power	0.75kw/8000rpm
	Idle Speed	2800-3200rpm
	Fuel tank capacity	230ml
	Handle Type	Super rolling (180°)
	Blade	Duble Side
	Pruning Length	600mm
	Certificate	CE
	Gasoline/2-cycle oil mix	king ratio 40:1

No: PTHT1003 **Hedge Trimmer 25.4CC**



Specifications:	
Displacement	25.4CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	0.75kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	230ml
Handle Type	Fixed
Blade	Duble Side
Pruning Length	600mm
Certificate	CE
Gasoline/2-cycle oil n	nixing ratio 40·1

No: PTSW1001

Cordless Reciprocating Saw

No: PTSW1002

Cordless Reciprocating Saw





Specifications:

18V
0-2800 r/min
28mm
CE/GS/EMC









Specifications:

Voltage	12V
No Load Speed	0-2700 r/mir
Stroke Length	15mm
Certificate	CE/GS









No: PTSW1003

Cordless Jig Saw



Specifications:

Voltage	18V
No Load Speed	4000 r/min
Cutting Ability	100mm
Certificate	CE/GS/EMC
	Quick Change











No: PTSW1004

Cordless Jig Saw



Specifications:

1500-2800 r/min
50mm
CE/GS









CAR TOOLS

HAND TOOLS

POWER TOOL ACCESSORIES

AIR TOOLS











Specifications:

Voltage 12	V
No Load Speed 14	50 r/min
Cutting Saw Size	35x ø15x1mm
Cutting Depth 26	.5mm in 90° 17.0mm in 45°
Certificate CE	/GS



No: PTOT1001 **Cordless Multifunction Tool**



Specifications:

Voltage	12V
No Load Speed	5000-18000 r/min
Swipping Angle	3.2°
Certificate	CE/GS





Specifications:

Voltage	20V	
No Load Speed	4500 r/min	
Cutting Saw Size	ø165xø20x1	mm
Cutting Depth	55mm in 90°	40mm in 45°
Certificate	CE/GS	



No: PTOT1002 Cordless Polisher 2000mAh



Voltage	12V
Battery	2.0A
Polishing Disc Diameter	100mm
Certificate	CE/GS/EMC











Voltage	12V
Battery	2.0A
Rotation Speed	2500-5000rpm
Certificate	CE
Polishing Disc Diameter	150mm



Specifications:

12V
0-6.5mm/s
2PCS 1.5A
3800N
300/600ml
CE



No: PTOT1009 Cordless Caulking Gun 1500mAh No: PTOT1010

Cordless Caulking Gun 1500mAh





Specifications:

Voltage	16V
Press Out Speed	0-7.2mm/s
Battery	2PCS 1.5A
Max Pressare Force	5200N
Material Capacity	300/600ml
Certificate	CE



Voltage	21V
Press Out Speed	0-8.7mm/s
Battery	2PCS 1.5A
Max Pressare Force	6500N
Material Capacity	300/600ml
Certificate	CE




Rated Power

2.0kw/11000rpm 2.2kw/11500rpm

Idle Speed 3000rpm Fuel tank capacity 520ml Oil tanks capacity 260ml Max Cutting Diameter 20"/22"

Chain pitch-gauge 0.325"-0.058" Certificate

Gasoline/2-cycle oil mixing ratio 25:1



No: PPCS1002 Petrol Chain Saw 45CC/52CC/58CC



Specifications:

Displacement	45CC/52CC/58CC
Engine	1E43F/1E45F/1E46F
Rated Power	1.7kw/10000rpm 2.0kw/11000rpm 2.2kw/11500rpm
Idle Speed	3000rpm
Fuel tank capacity	520ml
Oil tanks capacity	260ml
Max Cutting Diameter	18"
Chain pitch-gauge	0.325"-0.058"
Certificate	CE

Gasoline/2-cycle oil mixing ratio 25:1

No: PPCS1003 Petrol Chain Saw 45CC/52CC/58CC



Specifications: Displacement

Engine	1E43F/1E45F/1E46F
Rated Power	1.7kw/10000rpm 2.0kw/11000rpm 2.2kw/11500rpm
Idle Speed	3000rpm
Fuel tank capacity	520ml
Oil tanks capacity	260ml
Max Cutting Diameter	18"
Chain pitch-gauge	0.325"-0.058"

45CC/52CC/58CC

Certificate CE

Gasoline/2-cycle oil mixing ratio 25:1

No: PPCS1004 Petrol Chain Saw 52CC/58CC



Specifications:

Displacement	52CC/58CC
Engine	1E45F/1E46F
Rated Power	2.0kw/11000rpm 2.2kw/11500rpm
Idle Speed	3000rpm
Fuel tank capacity	520ml
Oil tanks capacity	260ml
Max Cutting Diameter	20"/22"
Chain pitch-gauge	0.325"-0.058"
Certificate	CE
Gasoline/2-cycle oil mixing ratio 25:1	

No: PPCS1005 **Petrol Chain Saw 25CC**



оросиновионо.	
Displacement	25CC
Engine	1E31F
Rated Power	1.2kw/10000rpm
Idle Speed	3000rpm
Fuel tank capacity	230ml
Oil tanks capacity	220ml
Max Cutting Diameter	12"
Chain pitch-gauge	3/8"-0.050"
Certificate	CE
Gasoline/2-cycle oil mix	xing ratio 25:1

Engine Air-cooled, 2-stroke,

single cylinder

Rated Power 0.9kw/8000rpm Idle Speed 3200rpm Fuel tank capacity 230ml Oil tanks capacity 210ml

Guide Bar Size 10"/12" Chain pitch 3/8

Gasoline/2-cycle oil mixing ratio 40:1

CE

No: PPCS1007

HAND TOOLS

CAR TOOLS

AIR TOOLS

GARDEN TOOLS

Petrol Chain Saw 25CC



Specifications:

Certificate

Displacement 25CC Engine 2-stroke Rated Power 0.9kw/7000rpm Idle Speed 3000rpm Fuel tank capacity 230ml Oil tanks capacity 160ml 10"/12" Guide bar Size Chain pitch 3/8 Certificate CE

Gasoline/2-cycle oil mixing ratio 25:1

No: PPCS1008

Petrol Chain Saw 38CC



Specifications:

Displacement 38CC Engine Air-cooled, 2-stroke, single cylinder Rated Power 1.25kw/8000rpm Idle Speed 3200rpm Fuel tank capacity 310ml Oil tanks capacity 210ml 14"/16" Guide Bar Size Chain pitch 3/8 0.325" Certificate CE

Gasoline/2-cycle oil mixing ratio 40:1





No: PPCS1009 **Petrol Chain Saw 38CC**



Specifications:

Displacement	38CC
Engine	2-stroke
Rated Power	1.2kw/7000rpm
Idle Speed	3000rpm
Fuel tank capacity	310ml
Oil tanks capacity	210ml
Guide bar Size	14"/16"
Chain pitch	3/8
Certificate	CE

Gasoline/2-cycle oil mixing ratio 25:1

No: PPCS1010 **Petrol Chain Saw 45CC**



Specifications:

Displacement	45CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	1.75kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260mI
Guide Bar Size	16"/18"
Chain pitch	0.325"
Certificate	CE
Gasoline/2_cycle oil r	mixing ratio 40:1

No: PPCS1011 **Petrol Chain Saw 45CC**



Specifications:

Displacement	45CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	1.75kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	16"/18"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil	nixing ratio 40:1

No: PPCS1012 **Petrol Chain Saw 52CC**



Specifications.	
Displacement	52CC
Engine	Air-cooled, 2-stroke, single cylinder
Rated Power	1.9kw/8000rpm
Idle Speed	2800-3200rpm
Fuel tank capacity	550ml
Oil tanks capacity	260ml
Guide Bar Size	18"/20"
Chain pitch	0.325"
Certificate	CE
Gasoline/2-cycle oil m	nixing ratio 40:1

single cylinder

 Rated Power
 2.2kw/8000rpm

 Idle Speed
 2800-3200rpm

Fuel tank capacity 550ml
Oil tanks capacity 260ml
Guide Bar Size 18"/20"

Chain pitch 0.325"
Certificate CE

Gasoline/2-cycle oil mixing ratio 40:1

No: PPCS1014

Petrol Chain Saw 58CC



Specifications:

Displacement 58CC

Engine Air-cooled, 2-stroke,

single cylinder

 Rated Power
 2.2kw/8000rpm

 Idle Speed
 2800-3200rpm

Fuel tank capacity 550ml
Oil tanks capacity 260ml
Guide Bar Size 18"/20"
Chain pitch 0.325"
Certificate CE

Gasoline/2-cycle oil mixing ratio 40:1

No: PPCS1015

Petrol Chain Saw 61.5CC



Specifications:

Displacement 61.5CC Engine 2-stroke Rated Power 2.5kw/7000rpm Idle Speed 3200rpm Fuel tank capacity 550ml 260ml Oil tanks capacity Guide bar Size 18"/20" Chain pitch 0.325" Certificate CE Gasoline/2-cycle oil mixing ratio 25:1

No: PPCS1016

Petrol Chain Saw 62CC



Specifications:

Displacement 62CC Engine 2-stroke Rated Power 3.2kw/7000rpm Idle Speed 3200rpm Fuel tank capacity 670ml Oil tanks capacity 350ml Guide bar Size 18"/20" Chain pitch 0.325" Certificate CE

Gasoline/2-cycle oil mixing ratio 25:1

No: PPCS1021 Chainsaw & Pole Chainsaw 18V



Specifications:

DC Voltage	DC 18V
Battery	lithium 1.5/2.0Ah
Charging Time	3-5hours/1-1.5hours
Running Time	15-25mins
Speed	4.5m/s
Max Cutting Length	250mm
Telescopic Tube	Aluminium(185cm-245cm
	without bar)
Oil Capacity	100ml
With Rotated Head	0°,15°,30°
Quickly Fasten System	

No: PPCS1022 Chain Saw 18V



Specifications:

	DC Voltage	DC 18V
	Battery	lithium 1.5/2.0Ah
	Charging Time	3-5hours/1-1.5hours
	Running Time	20-25mins
	Speed	2.9m/s
	Max Cutting Length	250mm
	Total Length	650mm
	Oil Capacity	150ml

Auto Oil Supply Quickly Fasten System

No: PCSW1001 Chain Saw 21V



tions:

	21V
	lithium 2.0Ah
Size	6"(150mm)
eed	3500 r/min
	1/4"(6.35mm)
g Length	100mm

No: PCSW1002 Chain Saw 21V



DC Voltage	21V
Battery	lithium 2.0Ah
Guide Plate Size	6"(150mm)
No Load Speed	3500 r/min
Chain Type	1/4"(6.35mm)
Max Cutting Length	100mm

Rated Power 2.2kw/8000rpm

Idle Speed 2800-3200rpm

Air Volume 0.3 m³/s

Ignition C.D.I Noise 96 Db(A)

Carburetor Type Diaphragm Type

No: PTBL1002

Blower 76CC



Specifications:

Displacement 76CC

Engine Air-cooled, 4-stroke,

single cylinder

Rated Power 2.2kw/8000rpm

Idle Speed 2800-3200rpm

Air Volume 0.32 m³/s
Ignition C.D.I

Noise 96 Db(A)

Carburetor Type Diaphragm Type

No: PTBL1003

Blower 76CC



Specifications:

Displacement 76CC

Engine Air-cooled, 2-stroke,

single cylinder

Rated Power 3.5kw/8000rpm

3.5KW/60001

Idle Speed 3300rpm

Air Volume 0.35 m³/s

Ignition C.D.I

0.00

Noise 96 Db(A)

Carburetor Type Diaphragm Type

No: PTBL1004

Blower 75.6CC



Specifications:

Displacement 75.6CC

Engine Air-cooled, 4-stroke,

single cylinder

Rated Power 2.6kw/8000rpm

Idle Speed 2800-3200rpm

Displacement 7000

Ignition C.D.I

0.5.1

Noise 96 Db(A)

Carburetor Type Diaphragm Type

Wind Speed 86m/s

Fuel Tank Capacity

2L

No: PTBL1005

Blower 63.3CC



Specifications:

Displacement 63.6CC Engine

Air-cooled, 2-stroke, single cylinder

Rated Power 2.7kw/8000rpm Idle Speed 2800-3200rpm

Displacement 6800 Ignition C.D.I 96 Db(A) Noise

Carburetor Type Diaphragm Type

Wind Speed 90m/s **Fuel Tank Capacity** 2L

No: PTBL1006

Blower 63.3CC



Specifications:

Displacement 63.6CC Engine Air-cooled, 2-stroke, single cylinder Rated Power 2.7kw/8000rpm Idle Speed 2800-3200rpm Displacement 6800 C.D.I Ignition Noise 96 Db(A) Carburetor Type Diaphragm Type Wind Speed 90m/s

2L

No: PTBL1007

Blower 58CC



Specifications:

Fuel Tank Capacity

Displacement 58CC Engine Air-cooled, 2-stroke, single cylinder Rated Power 2.2kw/8000rpm Idle Speed 3300rpm Air Volume $0.35 \, \text{m}^3/\text{s}$ C.D.I Ignition 96 Db(A) Noise Diaphragm Type Carburetor Type

No: PTBL1008

Blower 88CC



	•	
	Displacement	88CC
	Engine	Air-cooled, 2-stroke, single cylinder
	Rated Power	3.5kw/8000rpm
	Idle Speed	3300rpm
	Air Volume	0.7 m³/s
	Ignition	C.D.I
	Noise	96 Db(A)
	Carburetor Type	Diaphragm Type

Displacement	52CC
Engine	1E45F
Rated Power	1.5kw/9000rpm
Idle Speed	3000rpm
Fuel tank capacity	1200ml
Calibe	1", 1.5", 2"
Lift	10m
Suction	6m
Flow	8m³/h
Certificate	CE

Gasoline/2-cycle oil mixing ratio 25:1



No: PTSP1001

Electric Sprayer 8L



Specifications:

Voltage	12V
Water Volume	8L
Compressor Pressure	6 Bar
Battery Capacity	1300/1500/2000mAh
Automatically Start/Stop	Start When P<1.8Bar, Stop When P>2.8Bar
Gross/Net Weight	3.2/3.0Kg
Accessory	Sprayer Nozzle, Car Cleaning Brush Shower Nozzle, Tire Charging Hose Battery Charger









No: PTSP1002

Electric Sprayer 16L



Voltage	12V
Water Volume	16L
Compressor Pressure	6 Bar
Battery Capacity	1300/1500/2000mAh
Automatically Start/Stop	Start When P<1.8Bar, Stop When P>2.8Bar
Gross/Net Weight	3.8/3.2Kg
Accessory	Sprayer Nozzle, Car Cleaning Brush Shower Nozzle, Tire Charging Hose Battery Charger







No: PTSP1003

Cordless Electric Spray Gun 18V



Specifications:

18V(Li-ion) 2000mAh
650ml/min
1000ml
80din/sec
1.5/1.8/2.0/2.5mm



No: PTSP1005 Cordless Electric Spray Gun 20V



Specifications:

Voltage	20V(Li-ion) 4000mAh
Max.Flow	650ml/min
Capacity	1000ml
Max. Viscosity	80din/sec
Brass Nozzle	1.5/1.8/2.0/2.5mm



No: PTSP1004

Cordless Electric Spray Gun 20V



Voltage	20V(Li-ion) 2000mAh	
Max.Flow	650ml/min	
Capacity	1000ml	
Max. Viscosity	80din/sec	
Brass Nozzle	1.5/1.8/2.0/2.5mm	







No: PTDR2000 Electric Drill 500W



No: PTDR2002

Electric Drill 500W



No: PTDR2004

Electric Drill 600W



No: PTDR2001

Electric Drill 500W



No: PTDR2003

Electric Drill 500W



No: PTDR2005

Electric Drill 750W



HAND TOOLS

No: PTDR2006 Electric Drill 320W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	320W
No Load Speed	3700 r/min
01 10 11	1.0

Chuck Capacity 10mm



No: PTDR2008 Electric Drill 300W



No: PTDR2010 Electric Drill 280W



No: PTDR2007

Electric Drill 320W



No: PTDR2009

Electric Drill 300W



No: PTDR2011

Certificate

Electric Drill 280W



CE



Contains:

1pcScrew box3pcs Cement drill bits1pcConnecting rod1pcRuler3pcs Twist drill bits1pcHandle1pcKey1pcBMC

6pcs Screw bits sets 1pc Muti-function handle 1pc Machine 3pcs Wood drill bits

No: PTDS2002 38pcs Electric Drill Set



Contains:

1pcPliers1pcSpanner1pcConnecting rod1pcScrew box1pcSleeve3pcsCement drill bits1pcHandle3pcsWood drill bits5pcsScrew bits set1pcMachine1pcBMC1pcRuler

1pc Tapeline 9pcs Hexagon socket screw sleeve

3pcs Ceramic tile drill 1pc Key

3pcs Twist drill bits 1pc Muti-function handle



Contains:

1pc Universal wrench 3pcs Twist drill bits 1pc Key 1pc Cutting disc 6pcs Screw bits sets 1pc Screw link 1pc Machine 1pc Wheel 3pcs Cement drill bits 1pc Saw blade 1pc BMC 1pc Ruler 2pcs Spanner 3pcs Wood flat drill 1pc Sander paper 1pc Platen shaft 1pc Wheel guard 1pc Muti-function handle 1pc Handle 2pcs Bits long

No: PTDS2003 39pcs Electric Drill Set



Contains:

1pcPliers1pc Screw link1pcBMC3pcs Long srcew bits sets1pcSaw1pc Tapeline1pcHandle1pc Muti-function handle1pcScrew box1pc Handle1pcRuler6pcs Screw bits sets

1pc Hammer 1pc Connecting rod
3pcs Hex wrench 1pc Key
3pcs Cement drill bits 1pc Spanner

1pc Machine 9pcs Hexagon socket screw sleeve



Contains:

 1pc
 Pliers

 1pc
 Machine

 1pc
 Spanner

 1pc
 BMC

 2pcc
 Mini group

8pcs Hex wrench sets 2pcs Mini crewdriver

1pc Screw box 1pc Saw

1pcTapeline3pcs Twist drill bits1pcRuler1pcPipe wrench1pcNeedle-nose plies1pcHandle1pcBox cutter2pcsWood flat drill3pcsCement dill bits1pcElectric tape

1pc Hammer 8pcs Hexagon socket screw sleeve

No: PTDS2006 43pcs Electric Drill Set



Contains:

1pc Box cutter 9pcs Screw bits sets 1pc BMC 1pc Tapeline 1pc Muti-function handle 1pc Electric tape 8pcs Hex Wrench sets 1pc Ruler 1pc Handle 1pc Screw link 3pcs Cement drill bits 4pcs Small screw driver 1pc Test pencil 3pcs Twist drill bits 2pcs Wood flat drill 1pc Screw box 1pc Key 1pc Connecting rod 1pc Machine 1pc Saw



Contains:

No: PTDS2005

1pc Spanner 1pc Hammer 1pc Pliers 1pc Connecting rod 1pc Ruler 1pc Needle-nose plies 1pc Cross screwdriver 1pc Straight screwdriver 1pc Screw box 3pcs Cement dil bits 3pcs Twist drill bits 1pc Tapeline 3pcs Wood drill bits 1pc Box cutter 5pcs Srcew bits sets 1pc Long cement drill bit 3pcs Ceramic tile drill 1pc Handle 1pc BMC 1pc Machine

9pcs Hexagon socket screw sleeve

1pc Key

No: PTDS2007

3pcs Glass tile drill bits

60pcs Electric Drill Set



Contains:

1pc Tapeline 1pc Electric tape 3pcs Cement drill bits 1pc Hammer 1pc key 3pcs Twist drill bits 1pc Saw 3pcs Ceramic tile drill 1pc Wheel 1pc Needle-nose plies 1pc Cutting disc 1pc BMC 1pc Machine 1pc Polishing wheel 1pc Saw blade 1pc Output shaft clamp 1pc Test pencil 1pc Cement dill bits 4pcs Hole saw 3pcs Glass tile drill bits 1pc Handle 1pc Muti-function handle

2pcs Spanner
1pc Pipe wrench
1pc Connecting rod
1pc Screw box
3pcs Sander paper
6pcs Screw bits set

1pc Ruler 1pc Pliers 1pc Gradienter

1pc Box cutter 9pcs Hexagon socket

screw sleeve



- for high-torque and high-speed drilling capabilities

No: PTID2001 **Impact Drill 600W**



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE















No: PTID2002

Impact Drill 650W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE













No: PTID2003

Impact Drill 650W

No: PTID2004



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE

















Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	710W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE













No: PTID2005 **Impact Drill 850W**



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	850W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CF

















No: PTID2006

Impact Drill 850W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	850W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE













AIR TOOLS



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	0-3100 r/min
Chuck Capacity	13mm
Certificate	CE















Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	0-3800 r/min
Chuck Capacity	13mm
Certificate	CE















No: PTID2009

Impact Drill 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE















No: PTID2010

Impact Drill 500W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	0-3000 r/min
Chuck Capacity	13mm
Certificate	CE / GS













No: PTID2011

Impact Drill 600W

No: PTID2012 **Impact Drill 620W**





Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	3300 r/min
Chuck Capacity	13mm
Certificate	CE















Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	620W
No Load Speed	0-2700 r/min
Chuck Capacity	13mm
Certificate	CE











No: PTID2013

Impact Drill 550W



No: PTID2014

Impact Drill 650W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	550W
No Load Speed	0-3000 r/min
Chuck Capacity	13mm
Certificate	CF / GS















Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No Load Speed	0-3000 r/min
Chuck Capacity	13mm
Certificate	CE















Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	700W
No Load Speed	0-3000 r/min
Chuck Capacity	13mm
Certificate	CE















Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	750W
No Load Speed	0-2700 r/min
Chuck Capacity	13mm
Certificate	CE

















No: PTID2017 **Impact Drill 750W**



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	750W
No Load Speed	0-3100 r/min
Chuck Capacity	13mm
Certificate	CE

















No: PTID2018

Impact Drill 850W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	850W
No Load Speed	0-2700 r/min
Chuck Capacity	13mm
Certificate	CE
Certificate	CE















No: PTID2019

Impact Drill 900W



Specifications:

Rated Voltage	220-240V / 110\
Frequency	50/60Hz
Input Power	900W
No Load Speed	0-3000 r/min
Chuck Capacity	13mm
Certificate	CE















No: PTID2020

Impact Drill 910W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	910W
No Load Speed	0-3000 r/min
Chuck Capacity	13mm
Certificate	CE













Impact Drill 1050W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1050W
No Load Speed	0-2800 r/min
Chuck Capacity	13mm
Certificate	CE















POWER TOOL ACCESSORIES

HAND TOOLS

No: PTID2022 **Impact Drill 900W**

Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	900W
No Load Speed	700 r/min
Chuck Capacity	13mm
Certificate	CE













No: PTID2023

Impact Drill 750W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	750W
No Load Speed	1020 r/min
Chuck Capacity	16mm
Certificate	CE





No: PTID2025











No: PTID2024

Impact Drill 1200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	1080 r/min
Chuck Capacity	16mm
Certificate	CE















Impact Drill 1400W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1400W
No Load Speed	750 r/min
Chuck Capacity	16mm
Certificate	CE













Light Rotary Hammer 800W Item No: PTRH2006

Three modes of operation - drilling only, hammer drilling and chiseling



No: PTRH2001 Light Rotary Hammer 500W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	500W
No Load Speed	0-1200 r/min
Impact Rate	0-5300 bpm
Chuck Capacity	20mm
Certificate	CE
	2 functions



No: PTRH2002

Light Rotary Hammer 620W



Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	620W
No Load Speed	0-1250 r/min
Impact Rate	0-6400 bpm
Chuck Capacity	24mm
Certificate	CE/GS/EMC
	3 functions













Light Rotary Hammer 620W No: PTRH2003



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	620W
No Load Speed	0-1250 r/mir
Impact Rate	0-6400 bpm
Chuck Capacity	24mm
Certificate	CE/GS/EMC
	3 functions





No: PTRH2005












Light Rotary Hammer 800W



Light Rotary Hammer 800W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	800W
No Load Speed	0-1000 r/min
Impact Rate	0-5400 bpm
Chuck Capacity	26mm
Certificate	CE/GS/EMC
	4 functions 3+ chisel position locking

















Light Rotary Hammer 800W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	800W
No Load Speed	0-1350 r/min
Impact Rate	0-5500 bpm
Chuck Capacity	26mm
Certificate	CE/GS/EMC
	2 functions

















Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	800W
No Load Speed	0-1350 r/min
Impact Rate	0-5500 bpm
Chuck Capacity	26mm
Certificate	CE/GS/EMC
	4 functions 3+ chisel position locking











No: PTRH2007

Rotary Hammer 900W

No: PTRH2008

Rotary Hammer 1500W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	900W
No Load Speed	0-900 r/min
Impact Rate	0-4400 bpm
Chuck Capacity	26mm
Certificate	CE/GS
	3 functions













Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	0-850 r/min
Impact Rate	0-3000 bpm
Chuck Capacity	26mm
Certificate	CE
	3 functions















Rotary Hammer 1500W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	0-850 r/min
Impact Rate	0-3000 bpm
Chuck Capacity	32mm
Certificate	CE
	3 functions













No: PTRH2010

Rotary Hammer 1500W



Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	260-870 r/min
Impact Rate	1200-4100 bpm
Chuck Capacity	32mm
Certificate	CE/GS















Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	0-400 r/min
Impact Rate	0-5500 bpm
Chuck Capacity	36mm
Certificate	CE



No: PTRH2013 Rotary Hammer 1500W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	0-850 r/min
Impact Rate	0-5400 bpm
Chuck Capacity	40mm
Certificate	CE
	3 functions



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	0-1070 r/min
Impact Rate	0-5000 bpm
Chuck Capacity	38mm
Certificate	CE



No: PTRH2014 Rotary Hammer 1500W



Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	120-240 r/min
Impact Rate	1100-2150 bpm
Chuck Capacity	50mm
Certificate	CE







Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1300W
No Load Speed	0-900 r/min
Impact Rate	0-4400 bpm
Certificate	CE









Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1100W
No Load Speed	2800 r/min
Impact Rate	0-3000 bpm
Certificate	CE












No: PTDB2003

Demolition Breaker 1100W



Demolition Breaker 1100W





Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1100W
No Load Speed	3000 r/min
Joules	38J
Net Weight	24kg
Certificate	CE











Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1100W
No Load Speed	3000 r/min
Joules	38J
Net Weight	24kg
Certificate	CE













Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1600W
No Load Speed	1400 r/min
Joules	48J
Net Weight	19kg
Certificate	CE



Specifications:

220-240V
50/60Hz
1500W
1800 r/min
0-5500 bpm
CE



No: PTDB2007 **Demolition Breaker 1500W** No: PTDB2008

Demolition Breaker 1500W





Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	1800 r/min
Impact Rate	0-5400 bpm
Certificate	CE






220-240V
50/60Hz
1500W
1800 r/min
0-3000 bpm
CE











Powerful motor - delivers up to 850N.M of torque to drive large fasteners quickly



Ergonomic design handle makes operation comfortable

No: PTIW2001

Multi Function Wrench (Screwdriver)



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	300W
No Load Speed	0-2200 r/min
Maximum Torque	98N.m
Square Head Screw	30/120
Standard Bolt	M6-M12
Certificate	CE













No: PTIW2002

Impact Wrench 300W



Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	300W
No Load Speed	1700 r/min
Maximum Torque	150N.m
Collect Chuck Size	12.7x12.7mm
Suitable Bolt Size	M8-M12
Certificate	CE











Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	300W
No Load Speed	1900 r/min
Maximum Torque	250N.m
Collect Chuck Size	12.7x12.7mm
Suitable Bolt Size	M12-M20
Certificate	CE















Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1050W
No Load Speed	1400 r/min
Maximum Torque	850N.m
Collect Chuck Size	25.4x25.4mm
Suitable Bolt Size	M22-M30
Certificate	CE

















Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	600W
No Load Speed	1900 r/min
Maximum Torque	500N.m
Collect Chuck Size	19x19mm
Suitable Bolt Size	M18-M24
Certificate	CE











No: PTIW2006

Impact Wrench 1050W



Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1050W
No Load Speed	1400 r/min
Maximum Torque	1100N.m
Collect Chuck Size	25.4x25.4mm
Suitable Bolt Size	M24-M36
Certificate	CE











Angle Grinder 2600W Item No: PTAG2022



No: PTAG2001 **Angle Grinder 600W**



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	11000 r/min
Disc Diameter	115/125mm
Net Weight	1.8kg
Certificate	CE/GS



No: PTAG2002

Angle Grinder 600W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	0-11000 r/min
Disc Diameter	115/125mm
Net Weight	2.2kg
Certificate	CE/GS





Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	620W
No Load Speed	10000 r/min
Disc Diameter	100/125mm
Net Weight	2.1kg
Certificate	CE



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	700W
No Load Speed	11000 r/min
Disc Diameter	100mm
Net Weight	2.1kg
Certificate	CE



No: PTAG2005 Angle Grinder 720W

No: PTAG2006

Angle Grinder 750W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	720W
No Load Speed	11000 r/min
Disc Diameter	100/125mm
Net Weight	1.9kg
Certificate	CE





Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	750W
No Load Speed	12000 r/min
Disc Diameter	115mm
Net Weight	2.3kg
Certificate	CE/GS/EMC/ETL





Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	750W
No Load Speed	11000 r/min
Disc Diameter	100/125mm
Net Weight	1.9kg
Certificate	CE













Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	900W
No Load Speed	11000 r/min
Disc Diameter	100mm
Net Weight	2.1kg
Certificate	CF













Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	810W
No Load Speed	11000 r/min
Disc Diameter	115/125mm
Net Weight	2.2kg
Certificate	CE/GS











No: PTAG2010

Angle Grinder 900W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	900W
No Load Speed	11000 r/min
Disc Diameter	115/125mm
Net Weight	2.5kg
Certificate	CE











AIR TOOLS



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	900W
No Load Speed	8000 r/min
Disc Diameter	115/125mm
Net Weight	1.8kg
Certificate	CE/GS/EMC



No: PTAG2013 Angle Grinder 1200W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	8000 r/min
Disc Diameter	150/180mm
Net Weight	3.4kg
Certificate	CE/GS/EMC





Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1020W
No Load Speed	11000 r/min
Disc Diameter	100mm
Net Weight	1.9kg
Certificate	CE



No: PTAG2014

Angle Grinder 1200W



Rated Voltage	220-240V/110V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	11000 r/min
Disc Diameter	115/125mm
Net Weight	2.5kg
Certificate	CE/GS



No: PTAG2015

Angle Grinder 1600W

No: PTAG2016

Angle Grinder 2000W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1600W
No Load Speed	8000 r/min
Disc Diameter	180mm
Net Weight	3.5kg
Certificate	CE







No: PTAG2017





Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W
No Load Speed	6000 r/min
Disc Diameter	230mm
Net Weight	5.5kg
Certificate	CE/GS









No: PTAG2018

Angle Grinder 2350W





Angle Grinder 2200W

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2200W
No Load Speed	6500 r/min
Disc Diameter	230mm
Net Weight	5.5kg
Certificate	CE/GS











•	
Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2350W
No Load Speed	8000/6000 r/min
Disc Diameter	180/230mm
Net Weight	6.0kg
Certificate	CE/GS/EMC











AIR TOOLS



Specifications:

Rated Voltage	220-240V/110V
Frequency	50/60Hz
Input Power	2400W
No Load Speed	6500 r/min
Disc Diameter	230mm
Net Weight	6.0kg
Certificate	CE











Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2400W
No Load Speed	6500 r/min
Disc Diameter	230mm
Net Weight	5.5kg
Certificate	CE/GS









No: PTAG2021

Angle Grinder 2500W



Angle Grinder 2600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2500W
No Load Speed	8500/6500 r/min
Disc Diameter	180/230mm
Net Weight	6.0kg
Certificate	CE













Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2600W
No Load Speed	8400/6600 r/min
Disc Diameter	180/230mm
Net Weight	6.5kg
Certificate	CE/GS/EMC













Rated Voltage 220-240V / 110V Frequency 50/60Hz Input Power 1200W No Load Speed 600-3000 r/min Polishing Disc Diameter 180mm Certificate CE











Specifications:

Rated Voltage 220-240V / 110V Frequency 50/60Hz Input Power 1200W No Load Speed 600-3000 r/min Polishing Disc Diameter 180mm Certificate CE











No: PTPO2003 Polisher 1200W



No: PTPO2004 Polisher 1100W



Specifications:

Rated Voltage 220-240V / 110V Frequency 50/60Hz Input Power 1200W No Load Speed 600-3000 r/min Polishing Disc Diameter 180mm Certificate CE













Specifications:

Rated Voltage 220-240V / 110V Frequency 50/60Hz Input Power 1100W No Load Speed 0-6000 r/min Polishing Disc Diameter 150mm Certificate CE/GS/EMC/ETL















HAND TOOLS

POWER TOOL ACCESSORIES

CAR TOOLS

AIR TOOLS

GARDEN TOOLS

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	110W
No Load Speed	3200 r/min
Floor Size	240mm
Certificate	CE











Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	110W
No Load Speed	3200 r/min
Floor Size	240mm
Certificate	CE









No: PTPO2007

Polisher 110W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	110W
No Load Speed	3200 r/min
Floor Size	240mm
Certificate	CE











No: PTCS2001



Specifications:

Rated Voltage	220-240V / 110\
Frequency	50/60Hz
Input Power	1300W
No Load Speed	4500 r/min
Blade Diameter	160mm
Cutting Depth (90°)	52mm
Certificate	CE







No: PTCS2003



Circular Saw 1250W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1250W
No Load Speed	6000 r/min
Blade Diameter	185mm
Cutting Depth (90°)	59mm
Certificate	CF













Specifications:

No: PTCS2002

Rated Voltage	220-240V/110V
Frequency	50/60Hz
Input Power	1100W
No Load Speed	4600 r/min
Blade Diameter	160mm
Cutting Depth (90°/45°)	55/38mm
Certificate	CE











No: PTCS2004

Circular Saw 1400W



Rated Voltage	220-240V/110V
Frequency	50/60Hz
Input Power	1400W
No Load Speed	4700 r/min
Blade Diameter	185mm
Cutting Depth (90°/45°)	65/44mm
Certificate	CE











No: PTCS2005 Circular Saw 1250W



Specifications:

Rated Voltage	220-240V/110V
Frequency	50/60Hz
Input Power	1250W
No Load Speed	6000 r/min
Blade Diameter	185mm
Blade Bore	20/25.4mm
Cutting Depth (90°/45°)	59/38mm
Certificate	CE











No: PTCS2007 Circular Saw 2100W



Specifications:

Rated Voltage	220-240V/110V
Frequency	50/60Hz
Input Power	2100W
No Load Speed	4300 r/min
Blade Diameter	235mm
Blade Bore	25.4mm
Cutting Depth (90°/45°)	84/65mm
Certificate	CE











No: PTCS2006

Circular Saw 1500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1500W
No Load Speed	5300 r/min
Blade Diameter	210mm
Blade Bore	20mm
Cutting Depth (90°/45°)	72 / 62mm
Certificate	CE











No: PTCS2008 Circular Saw 2000W



-	
Rated Voltage	220-240V/110V
Frequency	50/60Hz
Input Power	2000W
No Load Speed	4400 r/min
Blade Diameter	235mm
Blade Bore	25.4mm
Cutting Depth (90°/45°)	87 / 65mm
Certificate	CE













Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1050W
No Load Speed	4600 r/min
Blade Diameter	160mm
N.W/G.W	4/4.25kg
Certificate	CE











Specifications:

Rated Voltage	220-240V/110V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	4700 r/min
Blade Diameter	185mm
Cutting Depth (90°/45°)	65 / 44mm
Certificate	CE/GS











No: PTCS2011 Circular Saw 1200W



Specifications:


Rated Voltage	220-240V / 110
Frequency	50/60Hz
Input Power	1200W
No Load Speed	4700 r/min
Blade Diameter	185mm
N.W/G.W	4.5/5kg
Certificate	CF











Circular Saw 1300W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1300W
No Load Speed	4700 r/min
Blade Diameter	185mm
N.W/G.W	4.7/5kg
Certificate	CE













Circular Saw 1600W

No: PTCS2013 Circular Saw 1300W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1300W
No Load Speed	4700 r/min
Blade Diameter	185mm
N.W/G.W	4.7/5kg
Certificate	CE









Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1600W
No Load Speed	4200 r/min
Blade Diameter	200mm
N.W/G.W	6.5/7.5kg
Certificate	CE



Specifications:



No: PTCS2014





No: PTCS2015 Circular Saw 1400W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1400W
No Load Speed	4700 r/min
Blade Diameter	185mm
Cutting Depth (90°/45°)	65 / 44mm
Certificate	CE/GS











No: PTCS2016 Circular Saw 1400W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1400W
No Load Speed	4800 r/min
Blade Diameter	185mm
N.W/G.W	4.85/5kg
Certificate	CE/GS/EMC











Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1200W
No Load Speed	12000r/min
Cutting Depth	32mm
Blade Diameter	110mm
Blade Bore	20mm
Certificate	CE







No: PTMC2003







Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1250W
No Load Speed	12500r/min
Cutting Depth	32mm
Blade Diameter	110mm
Blade Bore	20mm
Certificate	CE













Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1300W
No Load Speed	12000r/min
Cutting Depth	32mm
Blade Diameter	110mm
Blade Bore	20mm
Certificate	CE











No: PTPL2001 Planer 600W



Specifications:

Rated Voltage	220-240V/110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	16000 r/min
Planing Capacity	82 x 1mm
Net Weight	2.5kg
Certificate	CE









No: PTPL2003 Planer 800W



Specifications:

220-240V / 110V
50/60Hz
W008
15000 r/min
90 x 2mm
4.5kg
CE



No: PTPL2002 Planer 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	16300 r/min
Planing Capacity	82 x 1mm
Net Weight	3.5kg
Certificate	CE









No: PTPL2004

Planer 600W



220-240V / 110V
50/60Hz
600W
16000 r/min
82 x 1mm
2.6kg
CE











Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No Load Speed	17000 r/min
Planing Capacity	82 x 2mm
Net Weight	3.0kg
Certificate	CE/GS











No: PTPL2007 Planer 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	16000 r/min
Planing Capacity	82 x 1mm
Net Weight	3.25kg
Certificate	CF











Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	900W
No Load Speed	17000 r/min
Planing Capacity	82 x 3mm
Net Weight	3.1kg
Certificate	CE/GS









No: PTPL2008

Planer 650W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No Load Speed	16000 r/min
Planing Capacity	82 x 2mm
Net Weight	3.25kg
Certificate	CE











HAND TOOLS



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No Load Speed	16000 r/min
Planing Capacity	82 x 1mm



Specifications:

	Rated Voltage	220-240V / 110\
	Frequency	50/60Hz
	Input Power	650W
	No Load Speed	16000 r/min
	Planing Capacity	82 x 1mm



No: PTPL2011 Planer 710W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	710W
No Load Speed	16500 r/min
Planing Capacity	82 x 2mm
Net Weight	3.25kg
Certificate	CE/ETL



No: PTPL2012 Planer 900W



	Rated Voltage	220-240V / 110V
	Frequency	50/60Hz
	Input Power	900W
	No Load Speed	17000 r/min
	Planing Capacity	82 x 3mm
	Net Weight	3.5kg
	Certificate	CE/ETL













No: PTMS2002 Mitre Saw 1400W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1400W
No Load Speed	4600 r/min
Blade Size	255mm
Blade Bore	25.4mm
Table Turning Range	Left 45° - Right 45°
Max. Cutting Capacity	90° 65x130mm(H*W) 45° 68X90mm(H*W)
Net Weight	10.3kg
Certificate	

No: PTMS2003

Mitre Saw 1400W



Rated Voltage	220-240V
Frequency	50/60Hz
Input Power	1400W
No Load Speed	4600 r/min
Blade Size	255mm
Blade Bore	25.4mm
Table Turning Range	Left 45° - Right 45°
Max. Cutting Capacity	90° 65x130mm(H*W) 45° 68X90mm(H*W)
Net Weight	11.3kg
Certificate	
Certificate	



No: PTCO2002 Cut Off Saw 1900W



Specifications:

Rated Voltage	220-240V
Frequency	50/60Hz
Motor	1900W
No Load Speed	3800 r/min
Blade Size	355mm
Net Weight	12.6kg
Certificate	CE














Cut Off Saw 2800W



Rated Voltage	220-240V
Frequency	50/60Hz
Motor	2800W
No Load Speed	3800 r/min
Blade Size	355mm
Net Weight	16kg
Certificate	CE













Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	500-3000 r/min
Cutting Ability	60mm
Certificate	CE











No: PTJS2003 Jig Saw 520W



Specifications:

Rated Voltage	220-240V / 110
Frequency	50/60Hz
Input Power	520W
No Load Speed	0-2600 r/min
Cutting Ability	55mm
Certificate	CE









No: PTJS2002 Jig Saw 520W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	520W
No Load Speed	0-2600 r/min
Cutting Ability	55mm
Certificate	CE











No: PTJS2004

Jig Saw 600W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	500-3000 r/min
Cutting Ability	60mm
Certificate	CE













No: PTJS2007

Jig Saw 850W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	850W
No Load Speed	0-2600 r/min
Cutting Ability	85mm
Certificate	CE













Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	500-3000 r/min
Cutting Ability	65mm
Certificate	CE











No: PTJS2008

Jig Saw 350W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	350W
No Load Speed	3000 r/min
Cutting Ability	55mm
Certificate	CE











CAR TOOLS













No: PTJS2011 Jig Saw 500W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	0-3000 r/min
Cutting Ability	55mm
Certificate	CF/GS











No: PTJS2010

Jig Saw 450W



Specifications:

220-240V / 110V
50/60Hz
450W
0-3000 r/min
55mm
CE/GS













No: PTJS2012

Jig Saw 500W



opcomoundions.	
Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	3000 r/min
Cutting Ability	85mm
Certificate	CE/GS













No: PTJS2013 Jig Saw 450W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
No Load Speed	3000 r/min
Cutting Ability	55mm
Certificate	CE/GS











No: PTJS2015 Jig Saw 850W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	850W
No Load Speed	3000 r/min
Cutting Ability	85mm
Certificate	CE



No: PTJS2014 Jig Saw 800W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	800W
No Load Speed	0-3000 r/min
Cutting Ability	100mm
Certificate	CE/GS/EMC/ETL



No: PTTR2001 Multi-tool 300W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	300W
No Load Speed	11000-21000 r/min
Pin Diameter	22 mm
Certificate	CE







No: PTRS2001

Reciprocating Saw 850W

Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	850W
No Load Speed	0-2800 r/min
Max Cutting Depth	28mm
Certificate	CE/GS/EMC/ETL





No: PTTR2002





Trimmer 600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	600W
No Load Speed	30000 r/min
Chuck Diameter	6mm
Certificate	

Certificate CE

No: PTSH2002

Electric Shears 420W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	420W
No Load Speed	0-3550 r/min
Throat Depth	1/2 inch
Thickness Capacity	14 gauge (2.0mm)
Cord Length	6'

Certificate

CE

No: PTRS2002

Reciprocating Saw 800W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	800W
No Load Speed	0-2500 r/min
Max Cutting Depth	22mm
Certificate	CE/GS/ETL









No: PTSH2001

Electric Shears 500W



Specifications:	1
Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	0-2500 r/min
Throat Depth	1/2 inch
Thickness Canacity	14 gauge (2.0mm)

Cord Length

Certificate CE















No: PTCH2002

Chain Saw 1600W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1600W
Guide Bar Size	14"
Certificate	CE











No: PTCH2003

Chain Saw 2000W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2000W
Guide Bar Size	16"
Certificate	CE











No: PTCH2004

Chain Saw 2400W



220-240V / 110V
50/60Hz
2400W
16"
CE











Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1000W/1200W
No-load Speed	8000rpm
Cutting Capacity	40cm
Nylon Line	2.0mm×5m
Steel Tube Dia	25.4mm
Certificate	CE











No: PTBC2003 **Brush Cutter**



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No-load Speed	11000rpm
Cutting Capacity	30cm
Telescopic Tube	Aluminium 920mm-1140mm
Spool	2x4m length,Ø1.4mm
Cable	2x0.75mmx0.35m
Certificate	CE















Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	250W
No-load Speed	11000rpm
Cutting Capacity	25cm
Spool	2x4m length,ø1.2mm
Cable	2x0.75mmx0.35m
Certificate	CE









No: PTBC2004

Brush Cutter



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No-load Speed	9000rpm
Cutting Capacity	33cm
Certificate	CE









No: PTBC2005 **Brush Cutter**



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No-load Speed	8800rpm
Cutting Capacity	32cm
Certificate	CE



No: PTBC2007 **Brush Cutter**



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	300W
No-load Speed	12500rpm
Cutting Capacity	25cm
Certificate	CE



No: PTBC2006 **Brush Cutter**



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	350W
No-load Speed	10000rpm
Cutting Capacity	26cm
Spool	2x4m length,Ø1.4mm
Cable	2x0.75mmx0.35m
Certificate	CE



No: PTHT2001 Hedge Trimmer 450W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
No-load Speed	1700rpm
Length of Blade	410/460/510/560/610/630mm
Branch Cutting Diam.	16mm
Cable	2x0.75mmx0.35m
Certificate	CE









No: PTHT2002

Hedge Trimmer 500W / 600W

No: PTSG2001

Electric Spray Gun 400W/600W



Specifications:

220-240V / 110V
50/60Hz
500W/ 600W
500/1600rpm
110/460/510/560/610/630mm
6mm
2x0.75mmx0.35m



Certificate





No: PTSG2002





CE




Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	400W/600W
Max.Flow	650ml/min
Capacity	800ml
Max. Viscosity	80din/sec
Plastic Nozzle	2.5mm









Electric Spray Gun 450W



Electric Spray Gun 450W

Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
Max.Flow	650ml/min
Capacity	1000ml
Max. Viscosity	80din/sec
Plastic Nozzle	1 5/1 8/2 0/2 5mm





Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
Max.Flow	650ml/min
Capacity	1000ml
Max. Viscosity	80din/sec
Plastic Nozzle	1.5/1.8/2.0mm



AIR TOOLS



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
Max.Flow	650ml/min
Capacity	800ml
Max. Viscosity	80din/sec
Plastic Nozzle	2.5mm



No: PTES2001 Electric Shredder 2600W



Specifications:

Rated Voltage	220-240V/110V
Frequency	50/60Hz
Input Power	2600W
No-load Speed	4200rpm
Max Cutting Dia	40mm
Capacity Of Collection Box	50L





Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
Max.Flow	650ml/min
Capacity	800ml
Max. Viscosity	80din/sec
Plastic Nozzle	2.5mm



No: PTES2002

Electric Shredder 2400W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2400W
No-load Speed	4500rpm
Max Cutting Dia	29mm













No: PTSN2003

Random Orbit Sander 300W



Specifications: Rated Voltage

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	300W
No Load Speed	6000-13000 r/min
Floor Size	125mm
Certificate	CE

No: PTSN2005

Random Orbit Sander 350W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	350W
No Load Speed	6000-13000 r/min
Floor Size	125mm
Certificate	CE

No: PTSN2002

Random Orbit Sander 240W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	240W
No Load Speed	12000 r/min
Floor Size	125mm
Certificate	CE

No: PTSN2004

Random Orbit Sander 450W



Specifications:

No: PTSN2006

Random Orbit Sander 240W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	240W
No Load Speed	11000 r/min
Floor Size	125mm
Certificate	CE

No: PTSN2007 **Detail Sander 105W**



Specifications:

Rated Voltage	220-240V / 110
Frequency	50/60Hz
Input Power	105W
No Load Speed	12000 r/min
Floor Size	140x80mm
Certificate	CE

No: PTSN2009 **Detail Sander 300W**



Specifications:

No: PTSN2011

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	300W
No Load Speed	6000-13000 r/min
Floor Size	140x80mm
Certificate	CE



Detail Sander 220W

Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	220W
No Load Speed	13000 r/min
Floor Size	140x80mm
Certificate	CE/GS/EMC



No: PTSN2008

Detail Sander 110W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	110W
No Load Speed	12000 r/min
Floor Size	140x80mm
Certificate	CE



No: PTSN2010

Detail Sander 130W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	130W
No Load Speed	14000 r/min
Floor Size	140x80mm
Certificate	CE



No: PTSN2012

Orbital Sander 240W



Rated Voltage	220-240V / 110
Frequency	50/60Hz
Input Power	240W
No Load Speed	14000 r/min
Floor Size	110x100mm
Certificate	CF



No: PTSN2015

Orbital Sander 220W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	220W
No Load Speed	14000 r/min
Floor Size	187x90mm
Certificate	CE

No: PTSN2017

Belt Sander 900W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	900W
No Load Speed	9000 r/min
Floor Size	76x533mm
Certificate	CE/GS/EMC



No: PTSN2014

Orbital Sander 150W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	150W
No Load Speed	14000 r/min
Floor Size	187x90mm
Certificate	CE

No: PTSN2016

Orbital Sander 380W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	380W
No Load Speed	12000 r/min
Floor Size	115x230mm
Certificate	CE/GS/EMC

No: PTSN2018

Drum Sander 1350W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	1350W
No Load Speed	0-3000 r/min
Floor Size	120x100mm
Certificate	CE/GS/EMC

No: PTSN2019 Drywall Sander 720W



Specifications:

Rated Voltage 220-240V Frequency 50/60Hz Input Power 720W

No Load Speed 1100-2130 r/min

Sanding Plate Diameter

Adaptor Size M10 CE

Certificate









No: PTSN2021 **Drywall Sander 850W**

180mm



Specifications:

Rated Voltage 220-240V Frequency 50/60Hz Input Power 850W No Load Speed 1100-2130 r/min Sanding Plate Diameter 180mm

M10

CE

Adaptor Size

Certificate

No: PTSN2023









Drywall Sander 720W



No: PTSN2020

Drywall Sander 850W



Specifications:

Rated Voltage 220-240V Frequency 50/60Hz Input Power 850W No Load Speed 1100-2130 r/min

Sanding Plate Diameter 180mm


Adaptor Size M10 Certificate CE













No: PTMX2001

Mixer 900W



No: PTBL2001

Blower 350W

No: PTBL2002

Blower 500W





Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	350W
No Load Speed	12000 r/min
Air Circulation Rate	2.3m³/min
Certificate	CE




Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	500W
No Load Speed	13500 r/min
Air Circulation Rate	2.8m³/min
Certificate	CE
	_



No: PTBL2003 Blower 650W



Blower 800W





Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	650W
No Load Speed	0-15000 r/min
Air Circulation Rate	
	3.2m³/min
Certificate	CE





Specifications:

	Rated Voltage	220-240V / 110V
	Frequency	50/60Hz
	Input Power	800W
	No Load Speed	0-16000 r/min
	Air Circulation Rate	4.5m³/min
	Certificate	CE
_		_





HAND TOOLS

POWER TOOL ACCESSORIES

AIR TOOLS

GARDEN TOOLS

No: PTBL2005 Blower 450W

Specifications:

Rated Voltage 220-240V / 110V Frequency 50/60Hz 450W Input Power No Load Speed 13000 r/min Air Circulation Rate 2.8m³/min Certificate CE



No: PTBL2007 Blower 600W



Specifications:

Rated Voltage 220-240V / 110V Frequency 50/60Hz 600W Input Power No Load Speed 0-13000 r/min Air Circulation Rate 3.5m³/min Certificate CE



No: PTBL2009 Blower 680W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	680W
No Load Speed	0-13000 r/min
Air Circulation Rate	3.5m³/min
Certificate	CE
	_

No: PTBL2006 Blower 450W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	450W
No Load Speed	13000 r/min
Air Circulation Rate	2.8m³/min
Certificate	CE



No: PTBL2008 Blower 600W



Frequency 50/60Hz 600W Input Power No Load Speed 0-13000 r/min Air Circulation Rate 3.5m³/min Certificate CE





Rated Voltage 220-240V / 110V Frequency 50/60Hz Input Power 2000W No-load Speed 14000rpm Air Speed 200km/h Air Volume 11m3/min Certificate CE






No: PTBL2012









Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	3500W
No-load Speed	17000rpm
Air Speed	260km/h
Air Volume	18m³/min
Certificate	CE









No: PTBL2011

Blower 2200W



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	2200W
No-load Speed	15000rpm
Air Speed	220km/h
Air Volume	13m³/min
Certificate	CE









No: PTBL2013

Blower 3800W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	3800W
No-load Speed	13500rpm
Air Speed	280km/h
Air Volume	20m³/min
Certificate	CE









HAND TOOLS





No: PTHG2003 Heat Gun 2000W





No: PTHG2005 Heat Gun 2000W



No: PTHG2002 Heat Gun 2000W





No: PTHG2004 Heat Gun 2000W





No: PTHG2006 Heat Gun 2000W





No: PTGG2001

Hot Melt Glue Gun 500W



No: PTGG2002

Hot Melt Glue Gun 150W



Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	150-500W
Glue Stick Size	11 mm
Certificate	CE/GS/ROHS/UL







Specifications:

Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	40-150W
Glue Stick Size	11 mm
Certificate	CE/GS/ROHS/UL







No: PTIR2001 **Electric Iron 30W**



No: PTIR2002 **Electric Iron 30W**



Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	30-100W
Certificate	CE









Rated Voltage	220-240V / 110V
Frequency	50/60Hz
Input Power	30-100W
Certificate	CE









Tel: 505-550-6501 Fax: 505-814-5778 Email: sales@agstech.net Web: www.agstech.net

PRIVATE LABEL OPTION OEM OPTION

We can put your company name, brand....on these

